

KD-CC-0181-25

VITALITY CENTER RENOVATION

ADDENDUM # 02

04/03/25

IMPORTANT: BID AND ADDENDUM MUST BE RECEIVED BY 04/22/2025 @ 3:00 PM EST. OFFEROR SHOULD ACKNOWLEDGE RECEIPT OF THIS AND ANY ADDENDUM AS STATED IN THE FORM FOR PROPOSAL.

ITEM #1: NOTICE TO BIDDERS:

Revised Finishes for Interior:
Attachment A: Material Color Legend
Attachment B: Room Finish Schedule
Attachment C: Accent Paint Plan
Attachment D: Floor Pattern Plan

END OF ADDENDUM 02

OFFICIAL APPROVAL	SIGNATURE
UK KING'S DAUGHTERS MEDICAL CENTER	
Ed Belsille 4.3.25	
Ed Delville 4-3:25	**************************************
Ed Belville/ Contract Specialist	
Ed Belville/ Contract Specialist	T I . D M
	Typed or Print Name

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland Interior Designer Mobile 606.465.5364

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland

Mobile 606.465.5364 Interior Designer

Item	Material	Manufacturer	Pattern	Product No.	Color	Notes
WALL FINISHES						
). · · ·	1	OL LANGUE	A	2027		(Light Gray) Main wall paint;
Paint	PT 1	Sherwin Williams	As specified	SW 7064	Passive	Do not paint brick
						(Purplish-Blue) See Accent
	PT 2	Sherwin Williams	As specified	SW 6538	Dignified	Paint Plan
	PT3	Sherwin Williams	As specified	SW 6241	Aleutian	(Blue) See Accent Paint Plan
						(White) Drywall ceilings and
						underside of soffits, as
	PT 4	Sherwin Williams	As specified	SW 7006	Extra White	needed
				The contract of the contract of		(Black) Columns and Hollow
						Metal Doors and Interior Door
	PT 5	Sherwin Williams	As specified	SW 6258	Tricorn Black	& Window Frames
						42" High - All walls of
						Pediatric Gym and Baby
						Room; Include all appropriate
		In Pro Corporation				coordinating t-mold and edge
Wall Protection	WP	(IPC)	Rigid Sheet040"	0272	Periwinkle	trim
						See Architectural drawings for
						Cornerguard locations; 48"
						High; Mount directly above
			1-1/2" Stainless steel			base; Adhesive mount - no
		In Pro Corporation	corner guards			holes or fasteners; Ease all
Corner Guards	CG	(IPC)	(16-gauge)	GS30	#4 Satin	edges
MISCELLANEOUS FINISHES						
						Cabinets/Vertical Surfaces -
						Woodgrain to run
Plastic Laminate	PL 1	Wilsonart	As specified	8209K-28	Veranda Teak	horizontally
	PL 2	Wilsonart	As specified	4945-38	Organic Cotton	Countertops
	j	1			Diag	
Wood Doors	¥U.	.VI Indu	*V1 Industries - Select White Birch Veneer -		KIVerstone KIT8	

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Interior Designer Mobile 606.465.5364 Cindy Strickland

	Material					
Item	Code	Manufacturer	Pattern	Product No.	Color	Notes
						Fine Textured Panels with
			Mars Acoustical			Shadowline Tapered Edges;
		USG Ceiling	Panels, Size -			Grid - USG Donn DX 15/16"
Suspended Acoustic Tile	SAT 1	Solutions	2'x2'x3/4"	86785	White	Grid
						Lightly Textured Panels with
			Radar Acoustical			Shadowline Tapered Edges;
		USG Ceiling	Panels, Size -			Grid - USG Donn DX 15/16"
	SAT 2	Solutions	2'x2'x5/8"	2220	White	Grid
						48" High - All walls of EVS
						Room; Include all appropriate
			Standard FRP,			coordinating t-mold and edge
Fiber Reinforced Panels	FRP	Marlite or Equal	Smooth - Gloss	S 100	White	trim

KING'S DAUGHTERS MEDICAL CENTER

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cirdy Strickland Interior Designer Mobile 606.465.5364

129	128		127		126		125		124		123		122		121	120		115	114			No.	Room
Therapy	Private Speech	1	Pediatric Gym		Therapy	Private Speech	Therapy	Private Occupational	Therapy	Private Speech	Therapy	Private Physical	Therapy	Private Physical	Electrical / Data	Entry / Waiting		Corridor	Elevator Lobby			Room Name	
LVT 1	X08 1	į	RUB 1		LVT 1		LVT 1		LVT 1		LVT 1		LVT 1		EX	LVT 1		EX	LVT 2			Floor	
VB	ď	j	VΒ		VΒ		VB	VB		VB / EX	VB / EX			Base									
PT 1	V.	PT 1/	WP	PT 1/	PT 1		PT 1		PT 3		PT 1		PT 1			PT 1		EX	PT 1			z	
PT 1	V.	PT 1/	ΨP	PT 1/	PT3		PT 3		PT 1		PT 3		PT 3		1	PT 3		PT 1	EX			s	Walls
PT 3	¥	PT 1/	Ą	PT 1/	PT 1		-	PT 1		E.	EX			т	lls								
PT 1	Y.	PT 1/	ΝP	PT 1/	PT 1		-	PT 1		PT 1	PT 1			٧									
																PL 1						Cabinet	
																PL 2		1				top	Counter
SAT 1	SALT) !	SAT 2		SAT 1		EXP	SAT 2		SAT 2	SAT 2			Ceiling									
Paint Plan	See Floor Pattern and Accent	See Floor Pattern and Accent	Paint Plan; WP - 42" H AFF	See Floor Pattern and Accent	Paint Plan	See Floor Pattern and Accent	Paint Plan	See Floor Pattern and Accent	Paint Plan	See Floor Pattern and Accent	Paint Plan	See Floor Pattern and Accent	Paint Plan	See Floor Pattern and Accent		and Accent Paint Plan	Soffit - PT 2 Vertical / PT 4 Underside; See Floor Pattern	No VB or PT on Walls with Exposed Brick	Pattern Plan	Exposed Brick; LVT - Brick Pattern Installation; See Floor	No VB or PT on Walls with	Notes	

KING'S DAUGHTERS MEDICAL CENTER

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland Interior Designer Mobile 606.465.5364

FRP FRP	Walls S E PT 1/ PT 1/ FRP FRP
PT1 PT3 PT1	PT 1 PT 3
PT 1	PT 1
	Cabinet
Ceiling Notes EXP FRP - 48" See Floor SAT 1 Paint Plan See Floor SAT 1 Paint Plan See Floor	

NO LES:

- 1. For purposes of this Schedule, the top of the Floorplan shall be considered NORTH (Plan North)
- 2. All interior hollow metal door and window frames are to be painted with PT 5.
- 3. Review and prepare the flooring substrates as recommended by manufacturer and as required for smooth installation
- 4. All flooring transitions to occur at the middle of door, unless otherwise shown or directed
- concrete, etc. 5. Provide new resilient transition strips (RTS), in the appropriate size, where materials of different thickness meet and where flooring terminates to
- 6. See Floor Pattern and Accent Paint Plans for flooring installation directions/transitions/patterns and locations of accent painted walls
- Underside of exposed drywall soffits to be painted with PT 4, where no casework underneath

KING'S DAUGHTERS MEDICAL CENTER


Pavilion Building - Vitality Center Move Revised Date: 3/25/2025


Cindy Strickland

Mobile 606.465.5364 Interior Designer

	No.	Room
o If any item listed he	Room Name	
roin is found to b	Floor	
o in conflict w	Base	
with manufa	z	
othere' re	s	Walls
commenda	ш	ılls
tions and	8	
varranties	Cabinet	
cuch item	top	Counter
must be	Ceiling	
If any item listed begain is found to be in conflict with manufacturers' recommendations and warranties such item must be brought to the attention of	Notes	

8. If any item listed herein is found to be in conflict with manufacturers' recommendations and warranties, such item must be brought to the attention of the Owner prior to execution.





KING'S DAUGHTERS MEDICAL CENTER

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland Interior Designer Mobile 606.465.5364

129	128	127	126	125	124	123	122	121	120	115	114	No.	Room
Private Speech Therapy	Baby Room	Pediatric Gym	Private Speech Therapy	Private Occupational Therapy	Private Speech Therapy	Private Physical Therapy	Private Physical Therapy	Electrical / Data	Entry / Waiting	Corridor	Elevator Lobby	Room Name	
LVT 1	RUB 1	RUB 1	LVT 1	LVT 1	LVT 1	LVT 1	LVT 1	EX	LVT 1	EX	LVT 2	Floor	
VB	VB	VB	VB	VB	VB	VB	VB	VB	VB	VB / EX	VB / EX	Base	
PT 1	PT 1 / WP	PT 1 / WP	PT 1	PT 1	PT 3	PT 1	PT 1		PT 1	EX	PT 1	z	
PT 1	PT 1 /	PT 1/	PT 3	PT 3	PT 1	PT 3	PT 3		PT 3	PT 1	Σ	s	Walls
PT 3	PT 1/	PT 1/ WP	PT 1	PT 1	PT 1	PT 1	PT 1		PT 1	EX	ΕX	т	lls
PT 1	PT 1 / WP	PT 1/ WP	PT 1	PT 1	PT 1	PT 1	PT 1		PT 1	PT 1	PT 1	8	
									PL 1	i	1	Cabinet	
									PL 2	-	1	top	Counter
SAT 1	SAT 1	SAT 2	SAT 1	SAT 1	SAT 1	SAT 1	SAT 1	EXP	SAT 2	SAT 2	SAT 2	Ceiling	
See Floor Pattern and Accent Paint Plan	See Floor Pattern and Accent Paint Plan; WP - 42" H AFF	See Floor Pattern and Accent Paint Plan; WP - 42" H AFF	See Floor Pattern and Accent Paint Plan	See Floor Pattern and Accent Paint Plan		Soffit - PT 2 Vertical / PT 4 Underside; See Floor Pattern and Accent Paint Plan	No VB or PT on Walls with Exposed Brick	No VB or PT on Walls with Exposed Brick; LVT - Brick Pattern Installation; See Floor Pattern Plan	Notes				

KING'S DAUGHTERS MEDICAL CENTER

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland Interior Designer Mobile 606.465.5364

Room					Walls	lls			Counter		
No.	Room Name	Floor	Base	z	s	Е	\$	Cabinet	top	Ceiling Notes	Notes
	5	27.7		PT 1/	PT 1/	PT 1/	PT 1/			П С	EDD 48" High
100	0	L 4 - 7	ć	- 12	-	-	1				
	Private Speech										See Floor Pattern and Accent
131	Therapy	LVT 1	VB	PT 1	PT 1	PT 3	PT 1			SAT 1	Paint Plan
	Private Occupational										See Floor Pattern and Accent
132	Therapy	LVT 1	VB	PT 1	PT 1	PT 1	PT3			SAT 1	Paint Plan
	Private Occupational										See Floor Pattern and Accent
133	Therapy	LVT 1	VB	PT 1	PT 3	PT 1	PT 1			SAT 1	Paint Plan
	Private Occupational										See Floor Pattern and Accent
134	Therapy	LVT 1	VB	PT3	PT 1	PT 1	PT 1			SAT 1	Paint Plan
											See Floor Pattern and Accent
					PT 1/	PT 1/					Paint Plan; RUB 2 - Brick
135	Gym	RUB 2	VB	PT 1	PT 3	PT 3	PT 1			SAT 2	Pattern Installation
											No VB or PT on Walls with
140	Gym	EX / PM	PM	\Box	PT 1	띳	PT 1			EX	Exposed Brick
											See Floor Pattern Plan; No
	Entrance Area										VB or PT on Walls with
-	n)	WOC	VB	EX	PT 1	Ţ	PT 2	1	1	PM	Existing Exposed Brick

NOTES:

- 1. For purposes of this Schedule, the top of the Floorplan shall be considered NORTH (Plan North)
- 2. All interior hollow metal door and window frames are to be painted with PT 5.
- 3. Review and prepare the flooring substrates as recommended by manufacturer and as required for smooth installation.
- 4. All flooring transitions to occur at the middle of door, unless otherwise shown or directed
- concrete, etc. 5. Provide new resilient transition strips (RTS), in the appropriate size, where materials of different thickness meet and where flooring terminates to
- 6. See Floor Pattern and Accent Paint Plans for flooring installation directions/transitions/patterns and locations of accent painted walls
- Underside of exposed drywall soffits to be painted with PT 4, where no casework underneath

KING'S DAUGHTERS MEDICAL CENTER

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland

Mobile 606.465.5364 Interior Designer

	No.	Room
	Room Name	
	Floor	
	Base	_
	z	
	s	Walls
	т	Is
	8	
	Cabinet	
	top	Counter
	Ceiling	
F '1	Notes	
۱'	l	

8. If any item listed herein is found to be in conflict with manufacturers' recommendations and warranties, such item must be brought to the attention of the Owner prior to execution.

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland Interior Designer

ltem	Material				2	
	-	Manufacturer	Pattern	Product No.	Color	Notes
FLOOR FINISHES						
						See Floor Pattern Plan for
		Mannington	Spacia Xpress Size -			installation locations and direction: Staggered Plank
Luxury Vinyl Tile	LVT 1	Commercial	7.25"x48"	SS5W2550	Nordic Oak	Installation
						Elevator Lobby; See Floor
						Pattern Plan for installation
			ID Latitude Stone,			locations and direction; Brick
	LVT 2	Tarkett	Tile Size - 12"x24"	PLST 7545	Artic Sky	Pattern Installation
						Entry off of 140 Gym; See
						Floor Pattern Plan for
						installation locations and
		Mannington	Inertia, Tile Size -			direction; Brick Pattern
Walk-Off Carpet Tile	Woc	Commercial	18"x36"	11360	Kinetic	Installation
			Recoil Fitness			
			Flooring, Tile Size -			Pediatric Gym and Baby
			36"x36"x3/8", Square			Room; Square Grid
Rubber Tile	RUB 1	Roppe	edge tiles	378	Cobalt / Light Gray	Installation
						135 Gym; See Floor Pattern
	-, 100	Mannington	Teles, Tile Size -			Plan; Brick Pattern
	RUB 2	Commercial	17.5"x35"	851TRC	Coastal Fog	Installation
						Between flooring materials of
		Tarkett				different thicknesses or where
		(Johnsonite) or		Tarkett - 40 or		flooring terminates, as
Resilient Transition Strips	RTS	Roppe Equal	As Specified	Roppe -100	Black	needed
BASE TYPES						
		Tarkett				Match existing; Use everywhere with new flooring.
		(Johnsonite) or	Traditional - 4" High	Tarkett - 40 or		except on Brick Walls - No
Vinyl Base	VΒ	Roppe Equal	Coved Base	Roppe -100	Black	Base

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland

Interior Designer Mobile 606.465.5364

	Material					
Item	Code	Manufacturer	Pattern	Product No.	Color	Notes
WALL FINISHES						
						(Light Gray) Main wall paint;
Paint	PT 1	Sherwin Williams	As specified	SW 7064	Passive	Do not paint brick
						(Purplish-Blue) See Accent
	PT 2	Sherwin Williams	As specified	SW 6538	Dignified	Paint Plan
	PT3	Sherwin Williams	As specified	SW 6241	Aleutian	(Blue) See Accent Paint Plan
						(White) Drywall ceilings and
						underside of soffits, as
	PT 4	Sherwin Williams	As specified	SW 7006	Extra White	needed
					The second secon	(Black) Columns and Hollow
						Metal Doors and Interior Door
	PT 5	Sherwin Williams	As specified	SW 6258	Tricorn Black	& Window Frames
						42" High - All walls of
						Pediatric Gym and Baby
						Room; Include all appropriate
		In Pro Corporation				coordinating t-mold and edge
Wall Protection	Ϋ́P	(IPC)	Rigid Sheet040"	0272	Periwinkle	trim
						See Architectural drawings for
						Cornerguard locations; 48"
						High; Mount directly above
			1-1/2" Stainless steel			base; Adhesive mount - no
		In Pro Corporation	corner guards			holes or fasteners; Ease all
Corner Guards	CG	(IPC)	(16-gauge)	GS30	#4 Satin	edges
MISCELLANEOUS FINISHES						
						Cabinets/Vertical Surfaces -
						Woodgrain to run
Plastic Laminate	PL 1	Wilsonart	As specified	8209K-28	Veranda Teak	horizontally
	PL 2	Wilsonart	As specified	4945-38	Organic Cotton	Countertops
Wood Doors	WD	*VI Indu	*V1 Industries - Select White Birch Veneer -		Riverstone RI18	

UK KING'S DAUGHTERS

Pavilion Building - Vitality Center Move Revised Date: 3/25/2025

Cindy Strickland

Mobile 606.465.5364 Interior Designer

Revised Date: 3/23/2023	Ą					WODIE OCC. TOJ. JJOT
	Material					
Item	Code	Manufacturer	Pattern	Product No.	Color	Notes
						Fine Textured Panels with
			Mars Acoustical			Shadowline Tapered Edges;
		USG Ceiling	Panels, Size -			Grid - USG Donn DX 15/16"
Suspended Acoustic Tile	SAT 1	Solutions	2'x2'x3/4"	86785	White	Grid
						Lightly Textured Panels with
			Radar Acoustical			Shadowline Tapered Edges;
		USG Ceiling	Panels, Size -			Grid - USG Donn DX 15/16"
	SAT 2	Solutions	2'x2'x5/8"	2220	White	Grid
						48" High - All walls of EVS
	7,5					Room; Include all appropriate
			Standard FRP,			coordinating t-mold and edge
Fiber Reinforced Panels	FRP	Marlite or Equal	Smooth - Gloss	S 100	White	trim

