



# King's Daughters

## INVITATION TO BID

**ATTENTION: This is not an order. Read all instructions, terms and conditions carefully.**

<b>INVITATION NO.:</b>	<b>KD-0203-26</b>	<b><u>RETURN ONE ORIGINAL COPY AND ONE USB DRIVE OF BID TO:</u></b> <b>UK KING'S DAUGHTERS MEDICAL CENTER PROCUREMENT SERVICES BID DESK, BID # KD-0203-26, BID DATE 03/11/2026 1000 ASHLAND DRIVE, SUITE 202 RUSSELL, KY 41169</b>
<b>Issue Date:</b>	<b>02/13/2026</b>	
<b>Title:</b>	<b>AMBULANCE REMOUNT</b>	
<b>Contracting Officer:</b>	<b>Ed Belville</b>	
<b>Phone:</b>	<b>606-408-9656</b>	

**IMPORTANT: BIDS MUST BE RECEIVED BY 03-11-2026 @ 3:00 P.M. EST**

The Medical Center's General Terms and Conditions and Instructions to Bidders, viewable at <https://purchasing.uky.edu/bid-and-proposal-opportunities>, apply to this IFB. When the RFP includes construction services, the Medical Center's General Conditions and Special Conditions for Construction and Instructions to Bidders, viewable at <https://purchasing.uky.edu/bid-and-proposal-opportunities>, apply to the IFB.

**AUTHENTICATION OF BID AND STATEMENT OF NON-COLLUSION AND NON-CONFLICT OF INTEREST**

I hereby swear (or affirm) under the penalty for false swearing as provided by Kentucky Revised Statutes (KRS) 523.040:

- 1 That I am the bidder (if the bidder is an individual), a partner, (if the bidder is a partnership), or an officer or employee of the bidding corporation having authority to sign on its behalf (if the bidder is a corporation);
- 2 That the attached bid has been arrived at by the bidder independently and has been submitted without collusion with, and without any agreement, understanding or planned common course of action with, any other vendor of materials, supplies, equipment or services described in the Invitation for Bids, designed to limit independent bidding or competition and is in full compliance with KRS 45A.455;
- 3 That the contents of the bid or bids have not been communicated by the bidder or its employees or agents to any person not an employee or agent of the bidder or its surety on any bond furnished with the bid or bids and will not be communicated to any such person prior to the official opening of the bid or bids;
- 4 That the bidder is legally entitled to enter into contracts with the UK King's Daughters Medical Center and is not in violation of any prohibited conflict of interest, including those prohibited by the provisions of KRS 164.390, 45A.330 to 45A.340.
- 5 That the Bidders, and its affiliates, are duly registered with the Kentucky Department of Revenue to collect and remit the sales and use tax imposed by Chapter 139 to the extent required by Kentucky law and will remain registered for the duration of any contract award.
- 6 That I have fully informed myself regarding the accuracy of the statement made above.

**COLLUSION PROHIBITED**

Any agreement or collusion among bidders or prospective bidders which restrains, tends to restrain, or is reasonably calculated to restrain competition by agreement to bid at a fixed price or to refrain from bidding, or otherwise, is prohibited, in accordance with KRS 45A.325.

**SWORN STATEMENT OF COMPLIANCE WITH CAMPAIGN FINANCE LAWS**

In accordance with KRS 45A.110(2), the undersigned hereby swears under penalty of perjury that he/she has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky and that the award of a contract to a bidder will not violate any provision of the campaign finance laws of the Commonwealth of Kentucky.

**CONTRACTOR REPORT OF PRIOR VIOLATIONS OF KRS CHAPTERS 136, 139, 141, 337, 338, 341 & 342**

The contractor, by signing and submitting a bid on this invitation, agrees as required by KRS 45A.485 to submit final determinations of any violations of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341 and 342 that have occurred in the previous five (5) years prior to the award of a contract and agrees to remain in continuous compliance with the provisions of these statutes during the duration of any contract that may be established. Final determinations of violations of these statutes must be provided to the Medical Center by the successful contractor prior to the award of a contract.

**ALL BIDS ARE TO BE "F.O.B. DESTINATION – FREIGHT PREPAID AND ALLOWED"**

**THIS AREA MUST BE COMPLETED**

DELIVERY AFTER RECEIPT OF ORDER:	NAME OF COMPANY:	PHONE:
FEDERAL EMPLOYER ID NO.:	ADDRESS:	FAX:
PAYMENT TERMS:	ADDRESS:	E-MAIL:
SHIPPING TERMS: F.O.B. DESTINATION – PREPAID AND ALLOWED	CITY, STATE & ZIP CODE:	WEB ADDRESS:
DUNS #	SIGNATURE:	DATE:

**SIGNATURE REQUIRED:** This bid cannot be considered valid unless signed and dated by an authorized agent of the bidder.  
Type or print the information requested in the spaces provided.

UK KING'S DAUGHTERS MEDICAL CENTER  
INSTRUCTIONS TO BIDDERS

All UK King's Daughters Medical Center bid solicitations are made upon and subject to the following conditions:

**1      Preparation of Bids**

- 1.1 All solicitations are subject to the provisions and requirements of any applicable Kentucky Revised Statutes, including the Kentucky Model Procurement Code, and the rules, regulations and policies of the UK King's Daughters Medical Center including the UK King's Daughters Medical Center's General Terms and Conditions.
- 1.2 Bidders are expected to examine the complete bid and all attachments including drawings, specifications and instructions. Failure to do so is at bidder's risk.
- 1.3 Bidders shall furnish information required by the solicitation in the form requested. The Medical Center reserves the right to reject bids with incomplete information or which are presented on a different form.
- 1.4 All bids must be legible. A legally authorized company representative shall sign all bids in the appropriate location. Erasures or other changes must be initialed by the person signing the bid. Signature on a bid certifies that the bidder has read and fully understands all bid specifications and bidder agrees to all terms and conditions stipulated in the Invitation for Bids (IFB).
- 1.5 Bid prices shall be entered in spaces provided on the bid form. All unit prices and mathematical extensions and totals shall be indicated where required. In cases of errors in extensions or totals the unit price will govern.
- 1.6 Should any potential bidder doubt the true meaning of any part of the solicitation, a written request for an interpretation may be submitted to the Medical Center. Requests for such interpretation shall be made in writing to the appropriate Contracting Officer identified in the solicitation. Every interpretation made shall be in the form of an "addendum" to the solicitation sent as promptly as is practicable to all prospective bidders to whom the solicitation has been issued. Failure by the Medical Center to send or any potential bidder to receive such interpretation(s) shall not relieve any bidder from any obligations under the bid solicitation or the bidder's response. Any interpretations, corrections or changes to the solicitation made in any other manner, including oral explanations and instructions, are not binding upon the Medical Center.
- 1.7 Bidders or potential bidders are required to coordinate all discussions concerning solicitations through the appropriate Contracting Officer or other purchasing official within the UK King's Daughters Medical Center Procurement Services. Bidders or potential bidders are not authorized to communicate with any Medical Center administrator, faculty, staff, or Board of Trustees member concerning this solicitation. Failure to comply with this requirement is grounds for the bidder's disqualification.
- 1.8 Unless otherwise stipulated in a bidder's response, the bidder's offer is in strict accordance with the Medical Center's specifications and terms and conditions of the Invitation for Bids. Any deviations must be fully itemized in detail. Any deviations from the requirements of this solicitation are at bidder's risk and the Medical Center may determine the bid to be non-responsive.

**2      Submission of Bids**

- 2.1 Bids, and modifications thereof, shall be returned in a sealed envelope and submitted in such a manner as to ensure their arrival in the UK King's Daughters Medical Center Procurement Services before the due date and time set forth in the solicitation. The time shown on the recording clock in Procurement Services is the official time. Unless otherwise indicated in the solicitation no oral, facsimile, e-mail or telephone bids will be accepted.
- 2.2 Bids may be modified or withdrawn in writing or in person by an authorized representative if done so prior to the exact time and date for receipt of the bids. Telephone and facsimile modifications or withdrawals are not permitted. Withdrawn bids may be resubmitted, with or without modifications, up to the solicitation due date and time. No bids may be withdrawn after the due date and time without the express authorization of the UK King's Daughters Medical Center Procurement Services.

- 2.3 Bids received after the designated time and date in the solicitation will not be considered. Bids will or will not be publicly opened and read in accordance with the Invitation for Bids.
- 2.4 Bidders shall show the bid due date and time, the solicitation number, and the name and address of the bidder on the face of the bid envelope.
- 2.5 All bids will be considered firm for a period of forty-five (45) calendar days from the bid opening date.

### **3 Specification Requirements**

- 3.1 Unless otherwise specified in the solicitation, all items bid are to be new, unused, and not remanufactured in any way.
- 3.2 Whenever a trade name, brand name, or model and catalog numbers followed by the words “or equal” or “approved equal” are used in the bid invitation it is for the purpose of item identification and to establish standards of quality, style, and features. Bids on equivalent items, substantially the same, are invited. However, to receive consideration, sufficient descriptive literature and/or specifications to clearly identify the item and provide for competitive evaluation must accompany the bid. The Medical Center will be the sole judge of equality and suitability. If bidder does not identify exceptions to the specifications shown in the IFB, bidder will be required to furnish the brand name(s), models, numbers, etc. specified in the IFB.
- 3.3 Unless stated otherwise in the solicitation, alternate bids will be considered. Alternate bids may be made in addition to responding to the solicitation or as the only response to the solicitation. However, the Medical Center is under no obligation to consider or accept an alternate bid and it reserves the right to reject any and all such bids.
- 3.4 The Medical Center reserves the right to request samples of any or all items bid in order to determine compliance with the specifications. The bidder must provide the samples within ten (10) days of the request and at no charge to the Medical Center. Samples are non-returnable. Failure to comply may be cause for rejection of the bid.
- 3.5 Bidders shall clearly delineate any deviations or exceptions from the bid specifications.
- 3.6 Except as otherwise provided in the solicitation, all bid prices must be firm. Prices subject to qualifications, such as escalation or other variables, may be rejected as non-responsive.
- 3.7 Unless otherwise stipulated in the solicitation, all quantities are estimates and do not represent a minimum guarantee. The Medical Center is obligated to purchase only those quantities needed during the term of the contract and it reserves the right to purchase more or less than the estimated quantities. The Medical Centers obligated only for those quantities ordered.
- 3.8 Proposed delivery dates shall be stated in number of calendar days after receipt of order.
- 3.9 All offers shall be F.O.B. destination, freight prepaid and allowed.

### **4 Bid Evaluation and Award**

- 4.1 Bids will be evaluated and the award made to the lowest responsive, responsible bidder who offers the best value to the Medical Center and meets the terms, conditions and specifications of the Invitation for Bids.
- 4.2 The term “Responsible Bidder” means a person, company, or corporation who has the capability in all respects to perform fully the contract requirements and the integrity and reliability that will assure good faith performance. In determining whether a Bidder is responsible, the Medical Center may evaluate various factors including (but not limited to) financial resources; experience; organization; technical qualifications; available resources; record of performance; integrity; judgment; ability to perform successfully under the terms and conditions of the contract; and adversarial relationship between the Bidder and the Medical Center that is so serious and compelling that it may negatively impact the work performed under this Invitation for Bid; or any other cause determined to be so serious and compelling as to affect the responsibility of the Bidder.

- 4.3 The Medical Center reserves the right to accept or reject any and all bids or part of a bid and waive informalities, technical defects and minor irregularities in the bids received. Further, the Medical Center reserves the right to make a single award, split awards, make multiple awards or no award whichever is in the best interest of the Medical Center
- 4.4 Unless stated otherwise in the solicitation, the Medical Center reserves the right to award the contract to the lowest aggregate bidder for all items, on an item-by-item basis, or a group of like items whichever is found to be in the best interest of the Medical Center. The Medical Center will consider bids submitted on an “all or nothing” basis if the bid is clearly designated as such.
- 4.5 In accordance with KRS 45A.494, a resident bidder of the Commonwealth of Kentucky shall be given a preference against a nonresident bidder. In evaluating proposals, the Medical Center will apply a reciprocal preference against a bidder submitting a proposal from a state that grants residency preference equal to the preference given by the state of the nonresident bidder. Resident bidder and nonresident bidder shall be defined in accordance with KRS 45A.494(2) and 45A.494(3), respectively. Any Respondent claiming Kentucky residency status shall submit with its proposal a notarized affidavit affirming that it meets the criteria as set for in the above referenced statute.
- 4.6 The Medical Center shall issue a price contract or purchase order as its notification of award to the successful bidder(s). Until such date a price contract or purchase order is issued, nothing shall be construed to constitute a binding agreement between the Medical Center and the bidder.

## **5 Payment and Taxes**

- 5.1 The successful bidder shall be paid, at the prices stipulated, for items or services delivered and accepted, upon the submission of proper invoices to the billing address shown on the purchase order.

The Medical Center adheres to a strategic approach regarding payables management based on risk minimization, processing costs, and industry best practices. As such, suppliers and individuals doing business with the Medical Center will be paid based on the following protocol:

- a. UK King’s Daughters Medical Center utilizes Wells Fargo as its primary form of ACH/Credit Card Payments. By enrolling in Wells Fargo credit card payments, the supplier receives an email from Wells Fargo with credit card information and the remittance. If the vendor enrolls in ACH payments via Wells Fargo, the payment will be deposited and a remittance email from Wells Fargo will be sent. ACH forms can be provided by the Accounts Payable department at 606-408-9692.
  - b. Payments by check. Payment terms for check payments are Net-40.
  - c. Vendors receiving ACH direct payments will be approved by the Accounting Department and the Accounts Payable Supervisor. Payment Terms for ACH are Net-40.
- 5.2 Bidders may offer prompt payment discounts. The Medical Center will not consider any prompt payment discounts in determining the bid award.
- 5.3 The Medical Center utilizes a procurement card program as the preferred method of payment. The Medical Center assumes that all successful bidders will accept the Medical Center’s procurement card as a method of payment unless a specific exception is stated in the bidder’s response to the IFB. No additional charges may be added for acceptance of the procurement card.
- 5.4 The Medical Center is tax exempt from the provisions of the Kentucky Sales and/or Use Tax (Tax Exemption # A00276) on materials and equipment under this solicitation. The Medical Center is also entitled to exemption from the Federal Excise Tax. All bidders shall take this into consideration when submitting their bid. Exemption certificates will be furnished upon request. Bidders are informed that material purchased by the contractor for the performance of this contract for the Medical Center is not exempt from the provisions of the Kentucky Sales and/or Use Tax. All adjustments and allowances for the current sales and/or use tax shall be included in the bid price.

**6. Kentucky's Personal Information Security and Breach Investigation Procedures and Practices Act**

To the extent Company receives Personal Information as defined by and in accordance with Kentucky's Personal Information Security and Breach Investigation Procedures and Practices Act, KRS 61.931, 61.932 and 61.933 (the "Act"), Company shall secure and protect the Personal Information by, without limitation: (i) complying with all requirements applicable to non-affiliated third parties set forth in the Act; (ii) utilizing security and breach investigation procedures that are appropriate to the nature of the Personal Information disclosed, at least as stringent as Medical Center's and reasonably designed to protect the Personal Information from unauthorized access, use, modification, disclosure, manipulation, or destruction; (iii) notifying Medical Center of a security breach relating to Personal Information in the possession of Company or its agents or subcontractors within seventy-two (72) hours of discovery of an actual or suspected breach unless the exception set forth in KRS 61.932(2)(b)2 applies and Company abides by the requirements set forth in that exception; (iv) cooperating with Medical Center in complying with the response, mitigation, correction, investigation, and notification requirements of the Act, (v) paying all costs of notification, investigation and mitigation in the event of a security breach of Personal Information suffered by Company; and (vi) at Medical Center's discretion and direction, handling all administrative functions associated with notification, investigation and mitigation.

**7. Affiliation of King's Daughters Medical Center (KDMC)**

The University of Kentucky is authorized to add King's Daughters Medical Center (KDMC) to any contract. As of December 1, 2022, King's Daughters Medical Center based in Ashland Kentucky officially became part of the University of Kentucky. King's Daughters Medical Center serves a 16-county region across Kentucky, Ohio, and West Virginia. Its health system is comprised of two acute-care hospitals totaling 465 licensed beds, more than 50 ambulatory centers and practice locations, a long-term care facility, medical transport company, and six urgent care centers.

**8. Affiliation of St. Claire HealthCare**

The University Of Kentucky Board Of Trustees on Friday April 26, 2024 approved plans to proceed with the acquisition of St. Claire HealthCare in Morehead. The move for St. Claire to become part of UK will expand clinical and academic programs as well as result in greater access to high-quality patient care for more Kentuckians. St. Claire can continue its 60-year tradition of serving Northeastern Kentucky for decades to come, operating under the name UK St. Claire. St. Claire HealthCare is one of the largest employers in the region, with over 1,200 staff members, including a growing medical staff of more than 125 physicians and nearly 70 advanced practice professionals representing more than 30 medical specialties. It includes the largest rural hospital in Northeastern Kentucky, seven primary care locations located within five counties, a multi-specialty medical pavilion, two urgent care centers, a pediatrics clinic, as well as a retail pharmacy, counseling center, medical equipment and supply store, and an outpatient center. Additionally, St. Claire HealthCare provides home health and hospice services in eight counties within its 11-county service region. The acquisition was finalized on July 1, 2024.

UK KING'S DAUGHTERS MEDICAL CENTER  
INVITATION FOR BID (IFB)  
SPECIAL CONDITIONS

**SCOPE**

This Invitation for Bids (IFB) for UK King's Daughters is issued to establish multiple Price Contracts for the purchase of ambulance chassis and the remount of existing 148 x 90 x 68 ambulance boxes, new or like-new. Ambulance chassis are specialized vehicle platforms designed to support heavy, customized modules. UK King's Daughters anticipates the purchase of up to four (4) ambulance chassis over an initial two (2) year period, subject to funding and operational needs.

For purposes of bid evaluation, UK King's Daughters is requesting pricing for one (1) ambulance chassis meeting the specifications set forth herein. It is the intent of this IFB to establish Price Contracts with multiple responsive and responsible bidders whose bids meet all mandatory requirements of this solicitation. The resulting contracts shall constitute a pool of Successful Contractors eligible to provide ambulance chassis during the contract term.

Following contract award, when UK King's Daughters is prepared to purchase additional ambulance chassis,

UK Kings Daughter will solicit written quotes from the successful contractors. Any such quotes shall be:

- limited to contractors awarded Price Contract under this IFB.
- based on the pricing structure or discounts established by this solicitation
- evaluated in accordance with the ordering procedures described herein.

The vehicle must be configured and manufactured in accordance with the ambulance design criteria of the National Highway Traffic Safety Administration (NHTSA), U.S. Department of Transportation, and the General Services Administration (GSA) Federal Ambulance Specification KKK-A-1822F. The ambulance described herein shall be type- and model-tested and in full compliance with the National Truck Equipment Association (NTEA) Ambulance Manufacturing Division Standards 001–025. Certifications must be current to the manufacturer's most recent manufacturing and engineering design criteria. Manufacturers who are unwilling or unable to meet the requirements of this solicitation will not be considered. Bidders should submit documentation validating this.

**TERMS AND CONDITIONS**

The Medical Center's General Terms and Conditions and Instructions to Bidders, viewable at <https://purchasing.uky.edu/bid-and-proposal-opportunities>, apply to this Invitation to Bid. When the Invitation for Bid includes construction services, the Medical Center's General Conditions for Construction and Instructions to Bidders, viewable at <https://purchasing.uky.edu/bid-and-proposal-opportunities>, apply to the Invitation for Bid.

**PRICE CHANGES**

Prices will remain firm for the initial purchase. After the initial purchase any price changes must be substantiated by firm proof that conditions have changed in the industry, which would warrant a change in price.

**EXTENDED PRICING**

Is the bidder willing to extend pricing to other State Universities and Medical Center affiliate organizations within the Commonwealth of Kentucky?

YES NO

**RESTRICTIONS ON COMMUNICATIONS WITH MEDICAL CENTERSTAFF**

From the issue date of this IFB until a Contractor is selected and a contract award is made, Bidders are not allowed to communicate about the subject of the IFB with any Medical Center administrator faculty, staff, or members of the Board of Trustees except:

- The Procurement Services representative, any Medical Center Procurement Services Official representing the Medical Center administration, or others authorized in writing by Procurement Services and
- Medical Center Representatives during Bidders presentations.

If violation of this provision occurs, the Medical Center reserves the right to reject the Bidder's proposal.

**INVITATION SUBMISSION AND DEADLINE**

The UK King's Daughters Medical Center accepts deliveries of IFB's Monday through Friday from 8:00 am – 5:00 pm Eastern Standard Time. However, IFB's must be received by 3:00 pm Eastern Standard Time on the date specified on the IFB in order to be considered.

**NOTE: Bidders are requested to include a USB drive with their bid response in addition to the printed hard copy of the bid.**

**COMPANY/ORGANIZATION DEMOGRAPHICS (For Reporting Purposes Only)**

Bidders are requested to submit with their response a summarized profile describing the demographic nature of their company or organization. Include a separate written statement with your bid response answering the following questions:

1. When was your organization established and/or incorporated?
2. Indicate whether your organization is classified as local, regional, national, or international.
3. Describe the size of your company in terms of number of employees, gross sales, etc.

**BID PROPOSAL FORM**

**Bidders are to provide a fixed price for the specifications listed below and include a spec sheet of make and model being bid.**

<b>Description</b>	<b>Qty</b>	<b>Price</b>
Mobile Medical Vehicle, Gasoline powered, Base Model Pricing		\$
<b>Chassis specifications:</b>		\$
CHASSIS AND WHEELBASE: 2023 or newer Ford E350 with single rear wheels; medium roof, 148-inch wheelbase, 9500 lb. GVWR; front stabilizer bar; Ford Ambulance Prep Package 47B. NOTE: Will not accept any chassis with less than 9,500 lb. G.V.W.R.		
REAR SPRINGS AND AXLE: 3.73 gear ratio. Limited slip differential.		
WHEELS AND TIRES: Five (5) LT 235/65R16 BSW All-season radial tires mounted on steel wheels with full wheel covers. Four on unit with one spare between rear frame rails and below vehicle floor. Must have Phoenix – Air Fill Extensions – Rear Tires “Air Max”		
BATTERIES: Two Heavy Duty Batteries shall be mounted under the driver’s seat, wired paralleled in the OEM configuration that complies with Ford QVM and KKK-1822-F requirements. Batteries will be wired so that both will always be used for starting. The power cut off switch circuit shall be protected by a 250-amp fuse. The Ford ignition key activates the cutoff switch. Power can be provided to the conversion without the engine running by turning the ignition key to accessory position.		
TRANSMISSION: Six speed automatic overdrive with Select Shift		
ALTERNATORS: Ford OEM 230-amp heavy duty alternator.		
FUEL TANK: Single 25-gallon capacity fuel tank.		
HEATER AND AIR CONDITIONER, CHASSIS: OEM heavy duty, high output.		
SEATS, DRIVER'S COMPARTMENT: Deluxe cloth OEM High Back Captain’s chairs, with fold-down armrests and seat belts and shoulder harnesses.		
WINDOWS: Tinted safety glass is installed in all exterior windows.		
MIRRORS, OUTSIDE REAR VIEW: OEM dual black mirrors with integrated convex mirrors below the mirror glass; all mirrors are below eye level. They shall be power adjustable and fold-away.		
AMBULANCE INTERFACE MODULE: An “Inter-motive” Ambulance Interface Module shall be standard. The Interface Module is to provide fast idle system controls to increase electrical output of the vehicle. When the vehicle is in park, service brake disengaged, the parking brake is set, and the water Temperature is at 230o F the Interface Module shall electronically adjust the engine idle (up or down) to maintain proper electrical system voltage.		

	<b>Electrical System</b>		\$
	ELECTRICAL SERVICE PANEL: All circuits shall be rated to carry at least 125% of their maximum load. Manual reset circuit breakers and relays shall protect each circuit. Each circuit that is rated more than three (3) amps shall be switched by use of a relay. Circuit breakers shall be mounted in plug-in, pull out sockets, which are permanently mounted for durability. Relays should be a type that is readily accessible at any auto parts store.		
	ELECTRICAL SERVICE PANEL ACCESS: There shall also be a hinged access panel located above pass through window which will house the main wiring system for the entire unit, such as circuit breakers, and relays, along with numerical listings of each circuit.		
	ELECTRICAL WIRING: All the vehicle's electrical equipment shall be served by circuits separate and distinct from the chassis electrical system. All electrical wiring shall be run in grease, oil, heat and moisture resistant looming. Harnesses shall be fastened with vinyl-clad clamps and grommets at any area they contact a metal edge.		
	Every load carrying wire shall be minimum of 12 or 14 gauge and shall be color coded and heat-embossed with its function every 4 to 6 inches. There shall be at least a six-inch service loop of wire at the point of attachment to each component. All electrical connections should be crimped; the use of Scotch locks is strictly prohibited.		
	12 VOLT DC SYSTEM: There shall be three (3) Cigar style 12VDC outlets. Final locations to be determined.		
	110 VOLT AC SYSTEM: There shall be a Kussmaul weatherproof 110V-125V male AUTO EJECT receptacle rated at 20 amps with a spring-loaded cover assembly located on the driver's side close to the driver's door for incoming 110-volt power. This receptacle shall be labeled. It shall be wired through one 20-amp circuit breaker. The circuit shall include three (3) 110-volt interior receptacles. Exact locations will be determined at prebuild meetings. All outlets shall illuminate per KKK-A-1822-F.		
	SWITCH CONSOLE, DRIVER'S: There shall be a console mounted between the two front seats. There shall be space provided for the installation of siren, radio control head, and a computer mount below the switches. OEM cup holders will be accessible. The switch panel shall be molded, aesthetically appealing, and incorporate V-MUX control panel and gauges as follows: Module Master Switch Emergency Master Switch Primary/Secondary Siren/Horn Left Scene Right Scene Rear Scene Back up Alarm Disable Silent Intercom Lights Door Ajar Light Voltmeter, Digital.  The console should be easily removed for service to the vehicle. In addition, a "map book" and computer slot capable of safely storing these devices in the event of a forward crash.		
	LOW VOLTAGE ALARM: A Low Voltage Alarm shall sound when voltage drops below 11.8 volts for more than 120 seconds.		

	SWITCH CONSOLE, PATIENT COMPARTMENT: The following controls shall be on the rear control panel: Module Master Switch Left Dome High / Low Right Dome High / Low Silent Intercom Switches Buzzer Exhaust Fan Electric Suction 3-Speed Blower Control for Heat/ AC Thermostatically controlled Heat/AC		
	CAAS certified		
	<b>Chassis Exterior</b>		\$
	Exterior unlock button		
	OEM Running Boards		
	<b>Chassis Interior</b>		\$
	Secure Idle Anti-Theft		
	Back Up Warning Alarm system		
	Reverse Camera System to include 360-degree coverage		
	HAAS Alert System		
	Integrated child seat with flip up bottom, Three-point belt, and two position swivel base captain's seat		
	Siren Speakers: Whelen		
	Whelen Siren in console		
	3 High Glove Box Holder		
	<b>Module Interior</b>		\$
	All-aluminum, powder coated, cabinets with scratch-resistant/shatter-proof polycarbonate cabinet doors.		
	Module Heater		
	Narcotic Safe		
	Stainless Steel countertops		
	Electric O2 Monitor		
	3-layer insulation -radiant, sound damping, and thermal layers		
	Stryker universal floor plate		
	Pre-wire, electrical, power load/ auto load system		
	Stryker Power Load system		
	POWER INVERTER: A 1,000-watt inverter with built in battery charger shall be included.		
	3 High Glove Box Holder		
	Ventilation Fan		
	SUCTION - ON BOARD: An SSCOR suction system shall be provided with the canister mounted on the back wall above the action area countertop		
	VENTILATION: A 138-CFM exhaust fan shall be mounted near the ceiling on the right rear wall and shall be activated by a switch on the action wall.		
	<b>HVAC</b>		\$

	Self-contained 120VAC air conditioner/heater with UV light and that runs independent of the chassis.		
	<b>Warranties:</b>		\$
	General build warranty – 3 years Body warranty – Lifetime Paint warranty – 5 years Electrical warranty – 7 years		
	<b>Delivery and Set Up</b>		\$
	<b>Grand Total:</b>		\$

**Delivery time after receipt of order.** \_\_\_\_\_

**Service Locations within 60 minutes of Ashland KY** \_\_\_\_\_

NOTE: A road test shall be conducted with the apparatus fully loaded and a continuous run of ten (10) miles or more will be made under all driving conditions, during which time the apparatus shall show no loss of power or overheating. The transmission drive shaft or shafts and rear axles shall run quietly and be free from abnormal vibration or noise throughout the operating range of the apparatus, prior to accepting delivery and payment made.

**NOTE: UNLESS OTHERWISE NOTED THE BID SHALL BE RETURNED IN A SEALED ENVELOPE SHOWING THE BID DUE DATE AND TIME, THE SOLICITATION NUMBER, AND THE NAME AND ADDRESS OF THE BIDDER ON THE FACE OF THE ENVELOPE.**